



**GLORY FITNESS CO., LTD.**



GLO<sup>RY</sup> FITNESS

Established in 2000, Glory Fitness is engaged in the development, design, manufacturing and marketing of Sporting goods and fitness equipment for OEM / ODM and international.

Glory Fitness has consistently experienced strong growth by building solid partnerships with its customers, large and small. Fitness equipment suppliers from around the world trust Glory Fitness with their needs, thanks to its unique integration of cutting-edge process technologies, pioneering design services, manufacturing productivity and product quality.

Furthermore, we have a full production facilities from the very beginning to delivery to meet customers' needs, included tubing cutting, shear machine, milling, bending, punching, grinding, forming and quiet test room. For example, our treadmills have a strict quality control through hipot tester, earth ground tester, leakage current tester, temperature tester, multi-meters tester, running test and 100% assembly and inspection before package. With all these valuable features backed by our superior customer services and the best warranty in the industry, customers will find that using our products is much more joyful and satisfactory.

We believe that all these efforts we made will let us build up strong connections, and provide mutual benefits and trusts with customers in the competitive fitness equipment market.



# T-816 series



## FEATURES

	T-816
Motor	DC 1.75 HP
Speed Range	1-16 KM/H
Incline (level)	Power 20
Running Area (mm)	490*1480
Cushioning	Yes

## CONSOLE

Display Type	LED x 7 pcs : 4.5" x 1 pc, 3" x 2 pcs, 2.5" x 4 pcs
MP3 interface	Yes
Easy buttons on console	Yes
Device holder & Water bottle holder	Yes
Function:	Time, Distance, Calorie, Speed, 15 programs, Pulse, Incline

## TECH SPECS

Dimensions (L x W x H) (cm)	188 x 85 x 142
Product Weight (kg)	93
Units 40'/40'HQ (sets)	78 / 91
User Weight Capacity (kg)	150

# T-801 series



## FEATURES

	T-801
Motor	DC 1.5 HP
Speed Range	Two modes: Run 0.8-12 KM/H, Walk 0.8-6 KM/H
Running Area (mm)	400*1050
Cushioning	Yes
With transport wheels	Yes
Manual fold	Yes

## CONSOLE

Display Type	LED x 7 pcs, upper + lower
Bluetooth	Yes
Remote Control	Yes
Device holder	Yes
Function:	Time, Distance, Calorie, Speed, Mode

## TECH SPECS

Dimensions (L x W x H) (cm)	130 x 68 x 99
Product Weight (kg)	33.5
Units 40'/40'HQ (sets)	380 / 425
User Weight Capacity (kg)	100

# T-75 series



## FEATURES

	T-756A
Motor	DC 2.0 HP
Speed Range	1-18 KM/H
Incline (level)	Power 15
Running Area (mm)	460*1300
Cushioning	Dual

## CONSOLE

Display Type (Blue Backlit)	7" LCD *1 Blue Backlit
MP3 interface	YES
Easy buttons on console and handrail	YES
Function:	Time, Distance, Calorie, Speed, 12 programmes, Pulse, Incline

## TECH SPECS

Dimensions (L x W x H) (cm)	165x76x135
Product Weight (kg)	60
Units 40'/40'HQ (sets)	138 / 158
User Weight Capacity (kg)	110

# T-73 series



## FEATURES

	T-73
Motor	DC 1.5 HP
Speed Range	1-16 KM/H
Running Area (mm)	450 x 1250
Handlebar quick buttons	Yes
Manual fold	Yes
Transport wheels	Yes
100% pre-assembled	Yes

## CONSOLE

Display Type	LED*3 windows
Quick buttons on console	Yes
MP3 interface	Yes
Function:	Time, Distance, Calorie, Speed, Pulse, 12 programs

## TECH SPECS

Dimensions (L x W x H) (cm)	151 x 76 x 116
Folded Dimensions (L x W x H) (cm)	34 x 76 x 150
Product Weight (kg)	43
Units 40'/40'HQ (sets)	168 / 210
User Weight Capacity (kg)	100

# T-68 series



## FEATURES

	T-682
Motor	DC 1.5 HP
Speed Range	1-12 KM/H
Incline (level)	Power 15
Running Area (mm)	400*1250
Easy assembly, 98% pre-assembled	Yes
With cylinder	Yes
Handpulse	Yes
Manual fold	Yes
With transport wheels	Yes

## CONSOLE

Display Type	LED
Quick buttons on console	Speed:3/6/9/12, Incline: 3/6/9/12
Function:	Time, Distance, Calorie, Speed, 12 programs, Handpulse, Incline
MP3 interface	Yes

## TECH SPECS

Product Weight (kg)	46
Units 40"/40"HQ (sets)	166 / 187
User Weight Capacity (kg)	100

# T-68 series



## FEATURES

Motor	
Speed Range	
Incline (level)	
Running Area (mm)	
With cylinder	
Handpulse	
Manual fold	
With transport wheels	

## CONSOLE

Display Type	
Quick buttons on console	
Function:	
MP3 interface	

## TECH SPECS

Dimensions (L x W x H) (cm)	
Folded Dimensions (L x W x H) (cm)	
N.W/G.W(kgs)	
Units 40'/40'HQ (sets)	
User Weight Capacity (kg)	

## T-681

Motor	DC 1.5 HP
Speed Range	1-12 KM/H
Incline (level)	Manual 3
Running Area (mm)	400 x 1250
With cylinder	Yes
Handpulse	Yes
Manual fold	Yes
With transport wheels	Yes

Display Type	5" LCD x1 Blue Backlit
Quick buttons on console	Yes
Function:	Time, Distance, Calorie, Speed, 10 programs, Handpulse
MP3 interface	Yes

Dimensions (L x W x H) (cm)	162 x 65 x 123
Folded Dimensions (L x W x H) (cm)	84 x 65 x 145
N.W/G.W(kgs)	42 / 48
Units 40'/40'HQ (sets)	166 / 187
User Weight Capacity (kg)	100



# T-52 series



## FEATURES

	T-52
Motor	DC 1.5 HP
Speed Range	1-12 KM/H
Running Area (mm)	420*1200
Incline (level)	Manual 3
Cushioning	Dual
With cylinder	YES
Easy assembly	YES

## CONSOLE

Display Type (Blue Backlit)	LCD
MP3 interface	YES
Function:	Time, Distance, Calorie, Speed, 12 programmes, Handpulse
With holder for water bottle / cell phone	YES

## TECH SPECS

Dimensions (L x W x H) (cm)	151x72x128
Folded Dimensions (L x W x H) (cm)	86x72x138
Product Weight (kg)	48
Units 40'/40'HQ (sets)	162 / 180
User Weight Capacity (kg)	110

# T-67 series



## FEATURES

	T-671
Motor	DC 1.25 HP
Speed Range	1-12 KM/H
Incline (level)	Manual rear 3
Running Area (mm)	400*1100
Easy assembly, 98% pre-assembled	Yes
With cylinder	Yes
Handpulse	Yes
Manual fold	Yes
With transport wheels	Yes

## CONSOLE

Display Type	LCD Blue Backlit
Quick buttons on console	Speed:2/4/6/8/10/12
Function:	Time, Distance, Calorie, Speed, 6 programs, Handpulse
MP3 interface	Yes

## TECH SPECS

Product Weight (kg)	34.5
Units 40'HQ (sets)	238
User Weight Capacity (kg)	100

# T-108 series



## FEATURES

	T-108
Motor	DC 1.25 HP
Speed Range	1-12 KM/H
Running Area (mm)	400 x 1100
Handlebar quick buttons	Yes x 4
Handlebar height adjustable (cm)	116~133 (from floor)
Manual fold	Yes
Transport wheels	Yes
100% pre-assembled	Yes

## CONSOLE

Display Type	LED*3 windows
Function:	Time, Distance, Calorie, Speed, 3 programmes

## TECH SPECS

Dimensions (L x W x H) (cm)	149 x 70 x 116~133 (from floor)
Folded Dimensions (L x W x H) (cm)	153 x 70 x 14
Product Weight (kg)	35
Units 40'/40'HQ (sets)	291 / 332
User Weight Capacity (kg)	100

# T-108B series



## FEATURES

	T-108B
Motor	DC 1.25 HP
Speed Range	1.0 - 12 KM/H
Running Area (mm)	400 x 1100
Side handlebar	Yes
With transport wheels	Yes
Manual fold	Yes

## CONSOLE

Display Type	LED
Remote Control	Yes
Device holder	Yes
Function:	Time, Distance, Calorie, Speed, Programs

## TECH SPECS

Dimensions (L x W x H) (cm)	148 x 70 x 129
Product Weight (kg)	33.5
Units 40"/40'HQ (sets)	283 / 330
User Weight Capacity (kg)	100

# T-111 series



## FEATURES

	T-111
Motor	DC 1.0 HP
Speed Range	0.8 - 8 KM/H
Running Area (mm)	400 x 1000
Side handlebar	Yes
With transport wheels	Yes
Manual fold	Yes

## CONSOLE

Display Type	LED
Remote Control	Yes
Device holder	Yes
Function:	Time, Distance, Calorie, Speed

## TECH SPECS

Dimensions (L x W x H) (cm)	120 x 65 x 106
Product Weight (kg)	22.5
Units 40'/40'HQ (sets)	398 / 450
User Weight Capacity (kg)	90

# SPIN BIKE SERIES

## SP-32 SPIN BIKE

- Belt drive system with 6kg flywheel
- Friction pad system + push down brake
- Computer: SCAN, TIME, SPEED, DIST, CAL ODO, PULSE
- Saddle vertical & horizontal adjustment
- Transport wheels for easy movement
- Home use
- Alloy pedal
- N.W: 25KG, G.W:29KG
- Assembled size: 1170\*530\*1210 mm
- 20GP/40GP: 206/430 PCS



## SP-35 SPIN BIKE

- Belt drive system with 20kg flywheel system
- Friction pad system + push down brake tension
- Saddle vertical & horizontal adjustment
- Handlebar vertical adjustment
- Comfortable seat
- Alloy pedal
- 3 PC Crank
- Transport wheels & Floor adjustment
- Home use
- Display: Time, Speed, Distance, Calorie, RPM, Scan, Hand-pulse
- N.W: 44 KG
- Assembled size: 1150 x 540 x 1160 mm
- 40HQ: 428 PCS



# SPIN BIKE SERIES



## SP-36 SPIN BIKE

- Belt drive system with 5kg flywheel system
- Friction pad system + push down brake tension
- Saddle vertical & horizontal adjustment
- Handlebar vertical adjustment
- Comfortable seat
- 3 PC Crank
- Transport wheels & Floor adjustment
- Homel use
- Display: Scan, Time, Speed, Distance, Calorie
- N.W: 22 KG
- Assembled size: 1130 x 490 x 1200 mm
- 20GP/40GP/40HQ: 210 / 430 / 505 PCS



## SP-37 SPIN BIKE

- Belt drive system with 20kg flywheel
- Friction pad system + push down brake
- Computer: Speed, TIME, CALORIES, PULSE
- Saddle vertical & horizontal adjustment
- Handlebar vertical & horizontal adjustment
- Alloy pedal
- Transport wheels for easy movement
- Semi-commercial Use
- N.W: 54KG, G.W: 59KG
- Assembled size: 1280\*530\*1190 mm
- 20GP/40GP/40HQ: 130/266/320 PCS

# SPIN BIKE SERIES

## SP-50 SPIN BIKE

- Belt drive system with 6kg flywheel
- Friction pad system + push down brake
- Computer: SCAN, TIME, SPEED, DIST, CAL, ODO, PULSE
- Saddle vertical & horizontal adjustment
- Handlebar vertical adjustment
- Transport wheels for easy movement
- Alloy pedal
- 3 PC crank
- Home use
- N.W: 23.7KG, G.W:26KG
- Assembled size: 1050\*455\*1220 mm
- 40HQ: 430 PCS



## SP-51 SPIN BIKE

- Belt drive system with 15kg flywheel
- Magnetic system + push down brake
- Computer: SCAN, TIME, SPEED, DIST, CAL, ODO, PULSE
- Saddle vertical & horizontal adjustment
- Handlebar vertical adjustment
- Transport wheels & Floor adjustment
- Alloy pedal
- 3 PC crank
- Semi-commercial Use
- N.W: 46KG, G.W:50KG
- Assembled size: 1080\*505\*1160 mm
- 40HQ: 270 PCS





# ROWING MACHINE SERIES

## GL-38 ROWING MACHINE

- Air & Magnetic system
- Computer: SCAN, TIME, CALORIES COUNT
- Steel slide rail
- Transport wheels for easy movement
- Home use
- N.W: 20.5KG, G.W:25KG
- Assembled size: 1960\*600\*700 mm
- 20GP/40GP/40HQ: 135/275//306 PCS



## GL-51 ROWING MACHINE

- Magnetic system
- Flywheel weight: 2.5 kg
- Computer: SCAN, TIME, CNT, CAL, TOTAL CNT
- Tension control: 8 levels manual
- Smooth and silent belt transmission
- Aluminium slide rail
- Transport wheels for easy movement
- Home use
- Carton size: 7.35 CUFT
- N.W: 23 KG, G.W: 27 KG
- Assembled size: 1960 x 495 x 835 mm
- 20GP/40GP/40HQ: 122 / 255 / 300 PCS



# ROWING MACHINE SERIES

## GL-39 ROWING MACHINE

- Aluminium slide rail
- Air & Magnet resistance system
- 8 levels by manual training intensity
- PU seat cushion with roller and bearing seat
- Adjustable pedals with strap large foot pedal
- 1030 mm sliding stroke
- Commercial use
- Display: SCAN, TIME, COUNT, CALORIE, DISTANCE, WIRELESS PULSE
- N.W: 45KG
- Assembled size: 2510X515X1185 mm
- 20GP/40GP/40HQ: 72 / 148 / 180 PCS



## GL-55 ROWING MACHINE

- Magnetic resistance system
- 8 levels by manual training intensity
- Comfortable seat
- 1045 mm sliding stroke
- Adjustable pedals with strap large foot pedal
- Home use
- Display: CALORIES, TIME, COUNT
- N.W: 23 KG
- Assembled size: 1830x546x578 mm
- 40HQ: 456 PCS



# ELLIPTICAL SERIES

## ET-09 ELLIPTICAL TRAINER

- Magnetic system
- Flywheel weight: 6 kg
- Computer: SCAN, TIME, SPEED, DIST, CAL PULSE, BODYFAT
- Tension control: 8 levels manual
- Smooth and silent belt transmission
- 3 pc crank
- Transport wheels for easy movement
- Home use
- Carton size: 9.49 CUFT
- N.W: 36 KG, G.W: 41 KG
- Assembled size: 1240 x 680 x 1570 mm
- 20GP/40GP/40HQ: 106 / 225 / 248 PCS



## ET-15 ELLIPTICAL TRAINER

- Magnetic system
- Flywheel weight: 5 kg
- Computer: SCAN, TIME, SPEED, DIST, CAL PULSE
- Tension control: 8 levels manual
- Smooth and silent belt transmission
- 3 pc crank
- Transport wheels for easy movement
- Home use
- Carton size: 6.88 CUFT
- N.W: 32 KG, G.W: 35 KG
- Assembled size: 1120 x 510 x 1620 mm
- 20GP/40GP/40HQ: 104 / 295 / 350 PCS

# X-BIKE SERIES

## XB-E12 X-BIKE

- 8-LEVEL resistance adjustable
- 1pc crank , double belt, small saddle DD 98-2
- Computer function: SCAN, TIME, SPEED, DIST, CAL, ODO
- Seat adjustable vertically
- Carton size: 1145\*220\*495 mm
- N.W: 14.6KG, G.W:17KG
- Assembled size: 734\*445\*1168 mm
- 20GP/40GP/40HQ: 250/520/520 PCS



## XB-E121 X-BIKE

- 8-LEVEL resistance adjustable
- 1pc crank , double belt, big saddle DD-6321
- Computer function: SCAN, TIME, SPEED, DIST, CAL, ODO, HANDPULSE
- Seat adjustable vertically
- Carton size: 1145\*220\*495 mm
- N.W: 14.8KG, G.W:17.3KG
- Assembled size: 772\*445\*1138 mm
- 20GP/40GP/40HQ: 250/520/520 PCS



## X-BIKE SERIES



### XB-E122 X-BIKE

- 8-LEVEL resistance adjustable
- 1pc crank, double belt , big saddle DD-6321
- Computer function: SCAN, TIME, SPEED, DIST, CAL, ODO, HANDPULSE
- With handle and back support , seat adjustable vertically
- Carton size: 1145\*220\*495 mm
- N.W: 17.85KG, G.W:20.3KG
- Assembled size: 889\*528\*1138 mm
- 20GP/40GP/40HQ: 250/520/520 PCS

# BIKE SERIES



## **XB-7 X- BIKE**

- Magnetic 2.5kg flywheel System
- 10-level resistance adjustable
- Computer: Speed, Distance, Handpulse, Time, Calorie, Scan, Odo
- Comfortable saddle
- With backrest & handlebar
- With resistant bands
- With device holder
- Transport wheels & Floor adjustment
- Foldable
- 3 PC crank
- Home use
- N.W: 21KG, G.W:23.5KG
- Assembled size: 1070\*530\*1100 mm
- 20'/40'/40'HQ: 300 / 590 / 700 PCS



## **ME-55 MINI BIKE**

- Magnetic 1.6kg flywheel System
- 8-level resistance adjustable
- Computer: Speed, Time, ODO, RPM, Dist, Cal
- Portable Design
- 3 PC crank
- Home use
- N.W: 8.5KG, G.W:10KG
- Assembled size: 520\*420\*260 mm
- 20'/40'HQ: 700 / 1700 PCS

# MINI ELLIPTICAL SERIES

## ME-25A MINI ELLIPTICAL

- Electric drive system
- Walking distance 34.5 cm
- With remote control
- Display function: Speed, Time, Forward / Reverse, RGB, MODE
- Dimensions (L x W x H): 59 x 42 x 29 cm
- Product Weight: 5.5 kg
- Package: 550 x 510 x 340 mm/1 pc / 1 carton
- Units 20GP/ 40'HQ: 300 / 720 sets
- Maximum user weight: 50 kg.
- Home use



## ME-53A MINI ELLIPTICAL

- Magnetic 2.3 kgs flywheel provides smooth, quiet pedal motion
- 8 levels resistance
- Large Pedal 38 x 13.5 cm
- Display function: Scan, Speed, Time, ODO, RPM, Dist, Cal
- Dimensions (L x W x H): 57 x 48 x 29 cm
- Product Weight: 10.2 kg
- Package: 560 x 410 x 320 mm/1 pc / 1 carton
- Units 20GP/ 40'HQ: 410 / 950 sets
- Maximum user weight: 100 kg.
- Home use



# HOME GYM SERIES

## HG-9 MULTI-STATION HOME GYM

- Main tube size: 45\*45 mm
- Weight stack 100 LB
- Home use
- N.W: 81.5KG, G.W:84.6KG



## HG-15 MULTI-STATION HOME GYM

- Main tube size: 50\*50 mm
- Weight stack 150 LB
- Home use
- N.W: 114KG, G.W:119KG



## Speed Adjustable Dumbbells

- Simply twist knobs
- Quick change weights
- Multiple weights into one
- Dumbbell adjusts from 10 to 30 lbs
- Space efficient
- Storage tray
- Item no.: AD-30



## Speed Adjustable Dumbbells

- Simply twist knobs
- Quick change weights
- Multiple weights into one
- Dumbbell adjusts from 5 to 25 lbs
- Space efficient
- Storage tray
- Item no.: AD-25C



## Speed Adjustable Dumbbells

- Simply twist knobs
- Quick change weights
- Multiple weights into one
- Each dumbbell adjusts from 5 to 15 lbs
- Space efficient
- Storage tray
- Item no.: AD-15B




## Vibration Plate




**VP-01**  
200W, Oscillation, LED Touch screen+  
Remote control, with 2 ropes,  
760\*435\*147mm



**VP-01-W**  
200W, Oscillation, LED Touch screen+  
Remote control, with 2 ropes,  
760\*435\*147mm



**VP-06**  
200W, Oscillation, LED Touch screen+  
Remote control, with 2 ropes,  
770\*450\*150mm



## Vibration Plate



**VP-12**  
200W, Oscillation, LED Touch screen+  
Remote control, with 2 ropes,  
590\*590\*150mm



**VP-15**  
200W, Oscillation, LED Touch screen+  
Remote control, with 2 ropes,  
650\*410\*130mm



**VP-18**  
200W, Oscillation, LED Touch screen+  
Remote control, with 2 ropes,  
750\*440\*180mm





[www.gloryfitness.com](http://www.gloryfitness.com)



GLORY FITNESS

**GLORY FITNESS CO., LTD.**

NO. 101, CHUNG JIANN RD., LUNGJIN VIL.,  
LUNGCHING, TAICHUNG, 43450, TAIWAN

TEL:+886-4-2630-6300

FAX:+886-4-2630-5637

E-mail:sales@gloryfitness.com

[www.gloryfitness.com](http://www.gloryfitness.com)

